



Fig. 1








Fig. 4




Fig. 5





Fig. 6



09826979-051201

Figure 1 consists of 12 bar charts, each representing a different birth cohort. The x-axis for all charts is 'Number of children' (0 to 10), and the y-axis is 'Percentage of women' (0 to 100). The charts show a clear trend of decreasing fertility over time. The 1940-1944 cohort has a peak at 4 children (approx. 35%). By the 1950-1954 cohort, the peak shifts to 3 children (approx. 30%). From the 1960-1964 cohort onwards, the peak is at 2 children, with the percentage of women having 2 children increasing from approx. 25% to 45% by the 1995-1999 cohort. The percentage of women having 0 or 1 child also increases significantly over the period, while the percentage having 4 or more children decreases.




Figure 1 consists of 12 bar charts, each representing a different fish species. The x-axis for all charts represents the months of the year (Jan, Feb, Mar, Apr, May, Jun, Jul, Aug, Sep, Oct, Nov, Dec). The y-axis represents the percentage of total catch. The species and their corresponding catch percentages are as follows:

- Yellow perch:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Rock bass:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- White perch:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Striped bass:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Bluegill:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Pumpkinseed:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Largemouth bass:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Smallmouth bass:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Chain pickerel:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Spottail shiner:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- Rock bass:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).
- White perch:** Jan (10%), Feb (10%), Mar (10%), Apr (10%), May (10%), Jun (10%), Jul (10%), Aug (10%), Sep (10%), Oct (10%), Nov (10%), Dec (10%).





Fig. 9



00826979-054201

